# ALPHA



SILVER 2023 ecovadis

ALPHA | Basin mixer 104x165x209 mm, 130 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Hidden aerator, EPD, SmartShine

## Image & drawing





# General information

Product type:	Washbasin mixers
Sub product type:	Basin mixer
Brand:	Ideal Standard
Suite name:	ALPHA
Designer:	Ideal Standard
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	209
Width (mm):	104
Length / Projection (mm):	165
Fixing method:	EasyFix
Net weight (kg):	1.37
VVS:	701413504
EAN code:	3800861080350

## Features



# Downloads

Installation Guide

• EPD


Declaration of Conformity
Spare Parts List


# Product standard & certifications

Additional standards: KIWA certificate name: EN 248 | DIN 4109-1 | EN 817 K99067

## **Product specifications**

Amount of escutcheon(s):	1
Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	No
Easy Fix technology:	Yes
Handle position:	Lateral
Includes a chain eye:	No
Integrated electronics:	No
Low-pressure model:	No
Material:	Metal
Material quality:	Brass





165

# ALPHA



SILVER 2023 ecovadis

ALPHA | Basin mixer 104x165x209 mm, 130 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Hidden aerator, EPD, SmartShine

## **Product specifications**

i loddet speelliedtolls	
Max. flow rate at 3 bar (l):	3.8
Max. flow rate at 3 bar (l) for all outlets:	3.8
Max. flow rate at 3 bar (l) for spout:	3.8
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
PVD technology:	No
Shape of escutcheon(s):	Round
SmartShine:	Yes
Spout model:	Swivel
Surface cover:	chromium-plated
Surface finish effect:	glossy
Tap outlet model:	Aerator
Tap outlet visibility:	Hidden
Tap outlet adjustable:	No
Touchless control:	No
Type of handle:	Lever
With drain plug:	No
With escutcheon(s):	Yes
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	EasyFix
Mounting method:	Tap hole





# Your local contact:

#### België • Belgique

Ideal Standard Produktions GmbH Ikaroslaan 18 B-1930 Zaventem ① +32 2 325 66 00 ⊒ +32 2 325 66 01 www.idealstandard.be

#### България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 Ф +359 885 938 880 office@idealstandard.com www.idealstandard.bg

#### Česká republika

#### Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

#### Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

#### Deutschland

Ideal Standard GmbH Euskirchener Straße 80 53121 Bonn ① +49 (0)228 521-0 ⊒ +49 (0)228 521-241 ⊠ idealstandard.de@idealstandard.com www.idealstandard.de

#### Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 (1) +353 1 4564525 www.idealstandard.ie

### España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) (1) +34 93 561 80 00 www.idealstandard.es

### Ελλάδα

Ideal Standard S. Α. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

#### France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris (2) +33 (0)1 49 38 81 34

- 0 +35 (0)1 49 58 81 54
- sav.idealstandard@idealstandard.com
   (demandes techniques) /
   devis.chantier@idealstandard.com
   (demandes commerciales)
   www.idealstandard.fr

#### Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia → +39 (0)2 28881
 info@idealstandard.it
 www.idealstandard.it

#### Nederland

#### Österreich

Ideal Standard GmbH Zweigniederlassung Österreich Erzherzog-Karl-Str. 131–135 1220 Wien Österreich ③ +43 125 66 222-0 ⊒ +43 125 66 222-625 www.idealstandard.at

#### Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

#### România

#### Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija © +381 11 7138 058 www.idealstandard.rs

## United Kingdom

3